

Message

From: Nwosu, Bernard [Ben.Nwosu@WestonSolutions.com]
Sent: 2/3/2016 4:30:05 PM
To: Daly, Eric [Daly.Eric@epa.gov]
Subject: CRU - Tables 8 & 9 - Validated
Attachments: removed.txt; CRU_Table 9_SAT Rad Soil Analytical Results_Validated.pdf; CRU_Table 8A_Rad Soil Analytical Results_Validated.pdf

Eric,

Attached please find the validated analytical results summary tables 8 & 9 for the Canadian Radium & Uranium Site.

Based on your response to my earlier email regarding Ra-226 ingrowth vs non-ingrowth, SAT data was not highlighted for Ra-226 exceedance. Also note minor changes in the footnotes, specifically, analytical method for Ra-226.

Please let me know if you have any questions.

Thanks,

Ben Nwosu
Weston Solutions, Inc.
RST3/ED2
1090 King George Post Road, Suite 201
Edison, New Jersey 08837
Phone: (732) 585-4413
Cell: (908) 565-2980
Fax: (732) 225-7037
Email: Ben.Nwosu@WestonSolutions.com



CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.